

CLINICAL EEG and NEUROSCIENCE

Author and Subject Index Volume 36, 2005

Index of Authors

- | | | | |
|--------------------------------|----------------------------------|--------------------------------------|---------------------------------|
| Adeli, Hojjat, 131 | Hanaoka, Akira, 42 | Mao, Wei, 9 | Saletu, Bernd, 108 |
| Anderer, Peter, 108 | Hara, Junko, 141 | Martínez-Martínez, M., 199 | Saletu-Zyhlarz, Gerda M., 108 |
| Armitage, Roseanne, 25 | Hashimoto, Isao, 271 | Melyn, Michelle, 15 | Shankle, William Rodman, 141 |
| Biver, C., 1, 116 | Hendrickse, William, 25 | Miyata, Masanori, 21, 188 | Shimizu, Eiji, 21, 188 |
| Blinowska, K. J., 123 | Henskens, F., 76 | Mochizuki, Hitoshi, 278 | Smith, R. L. L., 76 |
| Boutros, Nash N., 171 | Hermens, D., 64 | Nakashima, Kenji, 21 | Sneddon, Robert, 141 |
| Burioka, Naoto, 21, 188 | Hoffman, Donald, 141 | Niedermeyer, E., 257 | Struve, Frederick A., 49 171 |
| Cooper, N., 64 | Hoffman, Robert, 25 | Nomura, Takashi, 21 | Suyama, Hisashi, 21, 188 |
| Cornélissen, Germaine, 21, 188 | Hughes, John R., 15, 161 | North, D., 1, 116 | Takeshima, Takao, 21 |
| Dadmehr, Nahid, 131 | Hunter, M., 76 | Oka, Hiroshi, 42 | Tedrus, Gloria Maria A. S., 194 |
| Duffy, Frank H., 88 | Hyslop, W., 76 | Okada, Y., 285 | Tekell, Janet L., 25 |
| Durka, P. J., 123 | Ichikawa, Shunsuke, 42 | Ozaki, Isamu, 271 | Thatcher, R. W., 1, 116 |
| Ebner, Alois, 151 | Ikeda, I., 285 | Pascual-Marqui, Roberto D., 108 | Tomita, Yutaka, 21, 188 |
| Endo, Masahiro, 21, 188 | Johnstone, J., 99 | Patel, Ketan, 161 | Ugawa, Yoshikazu, 278 |
| Fernández-Torre, J. L., 199 | Kaila, Kai, 311 | Patrick, Gloria, 49 | Vanhatalo, Sampsä, 311 |
| Fino, John J., 161 | Kalitzin, Stilian, 306 | Prichep, L.S., 82 | Velis, Dimitri N., 306 |
| Fjell, Anders M., 176 | Kaplan, Daniel T., 21, 188 | Promchainant, Chinorn, 151 | Voipio, Juha, 311 |
| Fonseca, Lineu Corrêa, 194 | Kidani, Tomokazu, 42 | Quagliato, Elizabeth Maria A.B., 194 | Walhovd, Kristine B., 176 |
| Fukuoka, Yasushi, 188 | Kikuchi, Misuru, 42 | Reeves, Roy R., 49 | Wang, Dequan, 9 |
| Gerlach, R., 76 | Klostermann, Fabian, 293 | Reinvang, Ivar, 176 | Wang, W. W., 36, 202 |
| Ghosh-Dastidar, Samanwoy, 131 | Komuro, Ryutarou, 42 | Rennie, C., 64 | Wang, Y., 285 |
| Gomez, Jaime Parra, 306 | Konopka, Lukasz M., 53 | Rodin, E., 263 | Wang, Y. H., 202 |
| González-Rato, J., 199 | Koslow, Stephen H., 55 | Rodriguez, Anthony, 141 | Wang, Yuping, 9 |
| Gordon, Evian, 53, 64 | Li, J. C., 202 | Rosso, O. A., 76 | Williams, D. B., 76 |
| Greene, Robert W., 25 | Locharernkul, Chaichon, 151 | Rostas, J. A. P., 76 | Williams, L. M., 64 |
| Gunkelman, J., 99 | Lopes da Silva, Fernando M., 306 | Rush, A. John, 25 | Wu, X., 36, 202 |
| Halberg, Franz, 21, 188 | Lunt, J., 99 | Saha, Utpal, 141 | Xie, Q. H., 36 |
| | Maegaki, Yoshihiro, 21, 188 | | Zhang, T., 285 |

Index of Subjects

- Absence seizures** and, approximate entropy of EEG, 188-193
 —centrencephalic, 263, 265
 —entropy, Australian EEG database, 79, 80
 —initial ictal slow shift, 161, 169
- Abstracts** and, ECNS and ISNIP joint meeting, September 2005, 207-255
 —October 2004, continued, 52
- Age factor** and, Alzheimer's disease, 131-140, 141-150
 —Australian EEG database, 76-81
 —long latency EP database, clinical applications, 88-98
 —normative databases and statistical methods, 82-87
 —QEEG databases, 82-87, 100
 —standardized database, 64-75
 —ultrafast activities SEP, 281, 302
 —verbal recognition memory with ERP, 176-187
 —See also Children
- Aggression** and, P300 EP with valproate treatment, 49-51
- Agoraphobia** and, LORETA, diagnosis and therapy, 109, 110
- Alcoholism** and, EEG and fMRI, 239
 —LORETA, diagnosis and therapy, 109, 110
 —P300, 225
 —QEEG, 84, 85
- Alpha activity** and, Alzheimer's disease, 133, 142, 147
 —EEG phenotypes clinical database, 103-106
 —frontal, in aggressive children and adolescents, 240
 —Hans Berger, clinical significance, 257
 —LORETA, parametric and non-parametric statistics, 4-7
 —LORETA, psychiatric disorders, diagnosis and therapy, 108-115
 —panic disorder, 42-48
 —QEEG, psychiatric disorders, 84-86
- Alzheimer's disease** and, EEG and EP databases, 88
 —LORETA, diagnosis and therapy, 108-115
 —models of computation and analysis of EEG, 131-140
 —neurophysiological deficits, 213-214
 —psychophysical tasks, EEG detection, 141-150
 —QEEG, 84-86
 —startle reaction, 237
- Amphetamine** and, LORETA, psychiatric disorders treatment, 108-115
- Analytical tools** and, discovery and integrative neuroscience, 55-63
 —See Databases
- Anesthesia** and, ultrafast activities, 258, 259, 271, 273, 279, 297, 314, 315
- Animals** and, experimental studies, ultrafast frequencies and full-band EEG, 258, 259, 263-270, 271-273, 278, 279, 309, 313-315
- Anorexia nervosa** and, EEG and gustatory, olfactory and visual stimuli, 246-247
- Anoxic encephalopathy** and, acute stimulus-sensitive myoclonus, 199-201
- Anxiety disorder** and, emotional facial discrimination ERP, 225-226
 —LORETA, diagnosis and therapy, 108-115
 —startle reaction, 237-238
- Attention** and, ultrafast activities, 271-277, 300, 301
 —See ADHD, Cognitive functions, ERP
- Attention Deficit Hyperactivity Disorder (ADHD)** and, Australian database, 79
 —EEG phenotypes and clinical database, 103, 104
 —integrative neuroscience, standardized database, 64-75
 —QEEG and attention deficit, 85, 86
 —QEEG and neurofeedback, 241
- Auditory evoked potential (AEP)** and, aggression, valproate treatment, 49-51
 —long latency, database for clinical applications, 88-98
 —schizophrenia, 255
 —serotonic neurotransmission, 216-217, 244-245
 —See also P300
- Auditory sensory gating** and, attention performance, 254
 —schizophrenia, 247
- Australian EEG database** and, web-based de-identified searchable database of EEG records, 76-81
- Autism** and, Australian database, 79
 —seizures in children and adolescents, therapeutic implications, 15-20
- Behavior disorders** and, EEG phenotypes, clinical database, 99-107
 —long latency EP database, 88-98
 —QEEG, neurobehavioral populations 82-87
 —See also ADHD, Aggression, Autism, Psychiatric disorders
- Benign childhood epilepsy** and, SSEP evoked spikes by tapping feet and hands, 194-198
- Beta activity** and, Alzheimer's disease, 133, 142, 147
 —EEG phenotypes clinical database, 103, 105
 —finger movement, 127
 —LORETA, non-parametric and parametric statistics, 4-7
 —LORETA, psychiatric disorders, diagnosis and therapy, 108-115
 —neurofeedback, 102, 241
 —panic disorder, EEG coherence, 42-48
 —psychophysical function, Hans Berger, 257
 —risperidone EEG changes in schizophrenia, 224
 —sleep in schizophrenia and depression, 25-35
- Biofeedback** and, emotional stress control, 211-212
 —See Neurofeedback

- Biological models** and, integrative neuroscience, 55-63
- Bipolar disorder** and, corpus callosum microstructure, 252
- EP database, 96
 - QEEG, 84-86
 - See also Depression
- Brain chemistry** and, electrophysiological tools, 216-217
- Brain Resource International Database** and, integrative neuroscience, 64-75, 100
- Brainstem** and, ultrafast frequencies, 265, 278, 279, 296, 298, 302
- Bulimia nervosa** and, P300, 238
- Cannabis abuse** and, schizophrenia information processing, ERP, 251
- Carbamazepine** and, nonconvulsive status epilepticus, ring chromosome 20 cases, 155-156
- nonlinear analysis, 204
- Central location** and, age effects standardized database, 64-75
- autism, spikes, 17
 - benign focal epilepsy, evoked spikes, 194-198
 - long latency EP database, 89-92
 - panic disorder, EEG coherence, 42-48
- Chaos analysis** and, Alzheimer's disease models of computation, 131, 134-136
- Chattering cells** and, high frequency EEG, 295, 301, 309
- Children** and, benign focal epilepsy evoked spikes, 194-198
- frontal alpha, aggression, 240
 - long latency EP database, 88-98
 - seizures and autism, 15-20
 - sleep, epilepsy, 248
 - See also ADHD, Age factor
- Chlorpromazine** and, LORETA, psychiatric disorders treatment, 108-115
- Citalopram** and, LORETA, psychiatric disorders treatment, 108-115
- Clobazam** and, psychiatric disorders treatment, LORETA, 108-115
- Clonazepam** and, postanoxic myoclonus, 199
- Cocaine dependence** and, QEEG, 84
- Cognitive functions** and, corpus callosum structural changes, 52
- depressive disorder, ERP, N270, 9-14
 - EP database, 88-98
 - QEEG, 84-86
 - schizophrenia disease severity, 249
 - See also ADHD, Alzheimer's disease, Autism, ERP, Memory, Psychiatric disorders
- Coherence, EEG**, and, Alzheimer's disease, 133-134, 142
- databases, 84, 89, 92, 94
 - panic disorder, 42-48
- Coma** and, acute stimulus-sensitive postanoxic myoclonus, 199-201
- Complex partial seizures** and, ring chromosome 20 with nonconvulsive status epilepticus, 151-160
- Computerized Tomography (CT)** and, Alzheimer's disease, 132
- LORETA, 6, 7
 - psychiatric patients with EEG slowing, 173, 174
- Cordance** and, Alzheimer's disease, 134
- Corpus callosum** and, structural changes with mild cognitive impairment, 52
- Databases, EEG**, and, research and clinical practice, special issue, 53-130
- Australian EEG database, 76-81
 - clinical database development, EEG phenotypes, 99-107
 - discovery and integrative neuroscience, 55-63
 - EEG mapping and LORETA in psychiatric disorders, key-lock principle, 108-115
 - integrative neuroscience, role of a standardized database, 64-75
 - internet databases for new signal processing, efficient application, 123-130
 - long latency EP database, clinical applications, 88-98
 - LORETA normative and EEG database, evaluation and validity, 116-122
 - normative databases and statistical methods, clinical utility of QEEG, 82-87
- DC-EEG** and, full-band EEG, 258, 271, 311-317
- Delta activity** and, Alzheimer's disease, 133, 142
- LORETA, parametric and nonparametric statistics, 4-7
 - LORETA, psychiatric disorders, diagnosis and therapy, 108-115
 - panic disorder, coherence analysis, 42-48
 - QEEG, psychiatric disorders, 84-86
 - See also Slow activity
- Dementia**, See Alzheimer's disease
- Depression** and, auditory processing, EEG and EMG, 245
- cognitive impairment with ERP N270, 9-14
 - corpus callosum microstructure, 252
 - EEG and EP, 88, 96, 222
 - error processing, 242
 - glutamatergic dysfunction, 219
 - hand motor function, 241
 - LORETA, diagnosis and therapy, 108-115
 - metabolic changes, prefrontal cortex, 219
 - QEEG, 84-86, 232-233,
 - sleep, high frequency EEG, 25-35
 - sleep, seasonal variation, 212
 - startle reaction, 234, 235
- Diazepam** and, postanoxic myoclonus, 199
- ultrafast activities, 267
- Digital recording** and, ultrafast activity, 257-262, 267, 270, 274
- See special issue Ultrafast frequencies
- Dipole orientation** and, ultrafast activities, neural mechanisms, 271-277
- See special issue Ultrafast frequencies

Directed transfer function and, internet databases for new signal processing methods, 123-130

Drugs and, abuse, 84, 88, 96, 251

—ADHD, 69

—aggression, valproate treatment, 49-51

—autism and seizures, therapeutic implications, 15-20

—cannabis abuse, schizophrenia, 251

—cocaine dependence, QEEG, 84

—mood and sleep disorders, 211

—postanoxic myoclonus, 199

—psychiatric disorders, LORETA, 108-115, 173, 224

—QEEG database, 101

—ring chromosome 20, nonconvulsive status epilepticus, 151-160

—sleep behavior, melatonin, 248

—startle reaction, 235-238

—topiramate, seizures, Lyapunov exponent, 202-206

—See also Alcoholism, Anesthesia

Dyslexia and, long latency EP database, 88, 93, 94

Dystonia and, ultrafast activities, 273, 281

EEG databases and, special issue, research and clinical practice, current state and future direction, 53-130

Electrocorticography and, newly described ictal pattern, initial ictal slow shift, 161-170

—high frequency activities, 297, 302, 306-309, 314

Electroencephalography (EEG) and, aggression, valproate, EP, 49-51

—Alzheimer's disease, 131-140, 141-150

—autism and seizures, therapeutic implications, 15-20

—databases, research and clinical practice, 53-130

—depressive disorder, cognitive impairment, EP, 9-14

—entropy awake and sleep, 21-24

—entropy, healthy subjects, absence epilepsy, 188-193

—focal idiopathic epilepsy, SSEP, 194-198

—initial ictal slow shift pattern, 161-170

—LORETA statistics, 1-8, 108-115, 116-122

—myoclonus postanoxic, stimulus sensitive, 199-201

—panic disorder, coherence analysis, 42-48

—phenotypes, clinical database, 99-107

—psychiatric patients, slowing, somatic implications, 171-175

—ring chromosome 20, nonconvulsive status, 151-160

—schizophrenia, depression, sleep high frequency, 25-35

—sleep structure, epileptics, 36-41

—topiramate, seizures, 202-206

—ultrafast activities, special issue, 257-317

Electronic collaboration and, discovery and integrative neuroscience, 55-63

—See Databases

EMG and, high frequency EEG during sleep in schizophrenia and depression, 30, 31

Entropy, EEG, and, absence seizures, Australian EEG database, 79

—Alzheimer's disease, 135, 136

—healthy subjects and absence epilepsy patients, 188-193

—wake and sleep, 21-24

Epilepsy and, autism, therapeutic implications, 15-20

—cortical function and dysfunction, 220-222

—EP database, 88-98

—interictal dysphonic disorder, 212

—mood control, hippocampus relationship, 212

—ring chromosome 20, electroclinical correlation, 151-160

—SEP evoked spikes, 194-198

—sleep behavior, melatonin, 248

—sleep structure with polysomnography, 36-41

—temporal lobe, LORETA, 118, 120

—topiramate, Lyapunov exponent, 202-206

—ultrafast activities, 258-260, 263-270, 273, 281, 301, 306, 308, 314

—See also Seizures

Evoked potentials, event-related potentials (EP, ERP)

and, age differences, old/new effect in verbal recognition memory, 176-187

—Alzheimer's disease, 134, 142

—cognitive impairment in major depressive disorder, 9-14

—coherence/EEG in schizophrenia, 208

—emotional disorders, oddball designs, 224-226

—fMRI in schizophrenia, 210

—integrative neuroscience database, 64-75

—long latency, database for clinical applications, 88-98

—loudness dependence, 216-217, 244-245

—semantic integration in deaf signers, 247-248

—studies in schizophrenia and depression, 210, 222-224, 251, 255

—ultrafast activities, 261, 263, 270, 273, 278-284, 285-292, 293-305, 315

—valproate treatment of aggression, 49-51

Eye movements and, acute stimulus-sensitive postanoxic myoclonus, 199-201

—motor sensory interaction, voluntary, 229-234

—schizophrenia, 230

Focal discharges and, newly discovered ictal pattern, initial ictal slow shift, 161-170

—See also Spikes

Focal seizures and, EP database, 92

—pathophysiology, 221-222

—SSEP evoked spikes in children, 194-198

Frontal lobe and, aggression in children and adolescents, 240

—Alzheimer's disease, 131, 133, 142, 147, 148

—autism with seizures, 17, 18

—EEG phenotypes, clinical database, 103, 104

—glutamatergic dysfunction, 219

—head injury, spectral coherence, 92

—initial ictal slow shift pattern, 161-170

—memory, 176, 177, 180-185

—neurofeedback, 99-107, 241

- panic disorder, EEG coherence, 42-48
- psychiatric disorders, LORETA, 108-115
- ring chromosome 20, nonconvulsive status epilepticus, 151-160
- schizophrenia, auditory sensory gating, 247
- topiramate and seizures, Lyapunov exponent, 203, 204
- ultrafast activities, 260, 271, 272
- Full-band EEG** and, new standard for clinical EEG, 258, 311-317
- GABA-ergic neurons** and, ultrafast frequencies, 273, 275, 279-281, 295, 299, 301, 302, 309
- Gamma activity** and, auditory sensory gating, 251
 - chattering cells, 295
 - intrascaccadic modulation, attention shift, 230-231
 - photosensitive epilepsy, 306-309
 - schizophrenia, 207-209, 224, 250, 251
 - sleep in schizophrenia and depression, 25-35
- Gender** and, autism with seizures, 15-20
- Genetics** and, clinical database development, 53, 95, 99-150
 - fMRI, 66, 74
 - glutamatergic dysfunction, 219
 - prefrontal cerebral activity, 219
 - ring chromosome 20 in nonconvulsive status epilepticus, 151-160
 - whole-brain maps, 56
- Glial response** and, newly detected ictal pattern, initial ictal slow shift, 161-170
- Glutamatergic functions** and, neuropsychiatric disorders, 218-219
 - synaptic origins of high frequency signals, 289
- Hallucinations** and, auditory processing, dysfunctional cortical connectivity, 52, 92
- Haloperidol** and, LORETA, psychiatric disorders, 108-115
 - schizophrenia with startle reaction, 236
- Hand function** and, depression, 241
 - long latency EP database, 96
 - SSEP and evoked spikes, 194-198, 280, 294
- Head injury** and, long latency EP database, 92-96
 - post-traumatic stress disorder, 236
 - QEEG, 85
- Hematoma** and, LORETA, 118, 120
- High frequency activity** and, sleep, schizophrenia and depression, 25-35
 - See Beta, Gamma, Ultrafast activities
- Hippocampus** and, Alzheimer's disease, neuronal damage, 132, 142, 143
 - glutamatergic dysfunctions, 218
 - mood control in epilepsy, 212
 - ultrafast frequencies, 258, 259, 265, 307, 309, 314
- Human Brain Project** and, databases, website, 65
- Hyperactive children** and, cognitive functions, 243
 - See also ADHD
- Ictal pattern** and, initial slow shift, 161-170
- Imaging techniques**, See CT, MRI, PET, SPECT
- Imipramine** and, LORETA, psychiatric disorders treatment, 108-115
 - panic disorder, startle reaction, 235-236
- Impulsiveness** and, electrophysiological correlates, 243
- Integrative neuroscience, discovery, databases** and, analytical modeling and simulation tools, 55-63, 64-75
 - See Databases
- Internal carotid artery** and, ligation, SEP high frequency activities, 285-292
- International Brain Database** and, QEEG summary, 100
- Internet databases** and, efficient application for new signal significance processing methods, 123-130
 - See Databases, World wide web
- Inverse solutions, EEG**, and, LORETA, 1-8, 116-122
- Landau-Kleffner syndrome** and, frequency modulated AER, 88
 - status epilepticus, 157
- Language disorders** and, Australian EEG database, 77-79
 - EP database for clinical applications, 88-96
- Learning disabilities** and, long latency EP database, 88-98
 - See also ADHD, Autism, Language disorders, Memory
- Lithium toxicity** and, psychiatric patients with EEG slowing, 173
- Lorazepam** and, LORETA, psychiatric disorders treatment, 108-115
 - ultrafast frequencies, 280
- Low Resolution Electromagnetic Tomography (LORETA)** and, diagnosis and therapy of psychiatric disorders, key-lock principle, 108-115
 - parametric and nonparametric statistics, 1-8
 - psychotic personality traits, 253-254
 - risperidone induced EEG changes in schizophrenics, 224
 - Z-scores parametric inverse solutions, 116-122
- Lyapunov exponent** and, after administration of topiramate, 202-206
 - Alzheimer's disease, 135, 136
- Magnetic Resonance Imaging, Functional Magnetic Resonance Imaging (MRI, fMRI)** and, alcoholism, 239
 - Alzheimer's disease, 132, 142, 143, 213
 - Auditory EP and serotonergic transmission, 244-245
 - EEG in changes in vigilance, 244
 - EP dyslexia, database, 93
 - epilepsy, 92, 220-221
 - ERP in analysis of memory in psychiatric disorders, 210-211
 - facial emotion recognition, 243
 - integrative neuroscience databases, 56-58, 64-68
 - neural correlates in borderline personality disorder, 227, 228
 - obsessive compulsive disorder, 214-216
 - ring chromosome 20 and nonconvulsive status epilep-

- ticus, 154, 158
- schizophrenia, 210, 239
- ultrafast and full-band EEG, 257, 311, 315
- Magnetoencephalography (MEG)** and, Alzheimer's disease, 133, 135
- depression, altered auditory processing, 245
- memory, 176
- high frequency signals, 267, 285-292, 278-280, 294, 296, 306, 310
- volitional action, 246
- Melatonin** and, sleep behavior, epilepsy, 248
- sleep disorders, 211
- Memory** and, affective modulation, 223, 226-229
- ERP, age differences in verbal recognition, 90, 176-187
- hallucinations, auditory, 52
- See also Alzheimer's disease
- Methamphetamine** and, LORETA, psychiatric disorders treatment, 108-115
- Methylphenidate** and, ADHD, 69
- Migraine** and, high frequency and full-band EEG, 276, 301, 315
- Mismatch negativity** and, sensory gating, 252-253
- Mood Disorders** and, physiological approaches, treatment, 211-212
- Multiple sclerosis** and, ultrafast activities, 301
- Myoclonus** and, postanoxic, acute stimulation sensitive, 199-201
- ultrafast activities, 263-269, 273, 281
- Neurocognition**, See Ultrafast activities, Cognitive functions
- Neurofeedback** and, ADHD, 241
- EEG phenotypes, clinical database development, 99-107
- emotional stress, 211-212
- QEEG, 241
- Neuroinformatics** and, discovery and integrative neuroscience, 55-63, 64-75, 82-87, 100
- See also Databases
- Neuronal synchronization** and, psychosis, 207-209
- Neuropsychology** and, Alzheimer's disease, 141-150
- long latency EP database, 88-98
- See also Databases, EP, Neurofeedback
- Nicotine** and, cortical current density patterns, 251-252
- Nonconvulsive status epilepticus** and, ring chromosome 20, electroclinical correlation, 151-160
- Nonlinear analysis** and, approximate entropy in EEG during awake and sleep, 21-24
- Lyapunov exponent after administration of topiramate, 202-206
- Normative databases** and, clinical utility of QEEG, 82-87
- integrative neuroscience, clinical subjects, 64-75
- LORETA, 116-122
- See also Databases
- N20** and, ultrafast activities, 272, 273, 279-281, 285-293, 305
- N270** and, cognitive impairment in major depressive disorder, 9-14
- Obsessive compulsive disorder** and, Borna disease virus, 249-250
- error processing, 242
- LORETA, psychiatric disorders, 108-115
- neuroimaging, 214-216
- QEEG, 84-86
- thalamic creatine/phosphocreatine, 253
- Occipital lobe** and, Alzheimer's disease, 133, 134
- autism and seizures, spikes, 17
- head injury, spectral coherence, 92
- LORETA, database, 120
- psychiatric disorders, LORETA, 108-115
- seizures, topiramate administration, 203, 204
- Oscillations** and, high frequency activities, 271-277, 278-284, 295, 301, 308, 309, 311-315
- Painful stimulation** and, acute stimulus-sensitive postanoxic myoclonus, 199-201
- Panic disorder** and, EEG coherence in never-medicated patients, 42-48
- QEEG, 85
- startle reaction, 234-235
- Parametric and non-parametric statistics** and, LORETA, 1-8, 116-122
- Parietal lobe** and, Alzheimer's disease, 142-148
- autism with seizures, spikes, 17
- EP database, 91, 92
- LORETA, database, 120
- memory, old/new effect, 176-187
- panic disorder, EEG coherence, 42-48
- psychiatric disorders, LORETA, 108-115
- SSEP, 194, 195
- ultrafast activities, 260, 271, 272
- Parkinson's disease** and, high frequency activities, 273, 281, 302
- Pentylenetetrazol** and, induced seizures, 258, 259, 263, 265, 267
- Perimenstrual symptoms (PMS)** and, QEEG and VARETA, 232
- Personality disorders** and, neural correlation, 227, 228
- valproate treatment, EP, 49-51
- See also ADHD, Behavior disorders, Psychiatric disorders
- Pharmac-EEG** and, Lyapunov exponent of EEG, seizures, after administration of topiramate, 202-206
- psychiatric disorders, diagnosis and therapy, LORETA, 108-115
- See also Drugs
- Phase clustering** and, high frequency EEG, MEG components, 306-310
- Phenobarbital** and, nonconvulsive status epilepticus, ring chromosome 20 cases, 150, 152, 155, 156
- Phenytoin** and, nonconvulsive status epilepticus, ring chromosome 20 cases, 151-160

- postanoxic myoclonus, 199
- Photic stimulation** and, acute stimulus-sensitive postanoxic myoclonus, 199
 - Alzheimer's disease, 153
 - epilepsy, high frequency EEG, 306-310
- Polysomnography** and, all night sleep structure, 36-41
- Positron Emission Tomography (PET)** and, Alzheimer's disease, 132, 141-143, 214
 - integrative neuroscience, 57, 58
 - obsessive compulsive disorder, 216
 - ultrafast activities, 257, 311, 315
- Posttraumatic stress disorder** and, sertraline response, 236
- Premenstrual symptoms (PMS)** and, VARETA, 232-233
- Preterm, neonatal EEG** and, full-band activities, 313
- Propofol** and, ultrafast activities, 273-279, 297
- Psychiatric disorders** and, Australian EEG database, 79-80
 - diagnostic tests, ECNS and ISNIP joint meeting, September 2005, 207-256
 - hallucinations, dysfunctional connectivity, 52
 - integrative neuroscience, 64-75
 - long latency EP database, clinical applications, 88-98
 - LORETA, diagnosis and therapy, key-lock principle, 108-115
 - QEEG correlates, 82-87
 - sleep, high frequencies, 25-35
 - somatic implications of generalized and focal EEG slowing, 171-175
 - ultrafast activities, 302
- P300** and, Alzheimer's disease, 142
 - ANOVAs assessing age effects, 71
 - bulimia nervosa, 238
 - cognitive impairment, major depressive disorder, 9-14
 - EP database, clinical applications, 88-96
 - QEEG and schizophrenia, 92
 - schizophrenia, 92, 208, 210, 225
 - valproate treatment of aggression, 49-51
 - verbal recognition of memory, old/new effect, 176, 177
- Pyritinol** and, LORETA, psychiatric disorders treatment, 108-115
- Quantitative EEG (QEEG)** and, Alzheimer's disease, 141-150
 - attention deficit hyperactivity disorder, 241
 - Australian EEG database, 79
 - clinical database development, 99-107
 - depression, audio-visual entrainment therapy, 232-233
 - long latency EP database, clinical applications, 88-98
 - normative databases, statistical methods, clinical utility, 82-87
 - panic disorder, 42-48
 - topiramate effects, 202-206
- Rage attacks** and, EP database, 88, 90-92
- Regression** and, integrative neuroscience, standardized database, 64-75
- REM sleep** and, Alzheimer's disease, 133
 - approximate entropy in EEG, 21-24
 - schizophrenia and depression, 25-35
 - structure in epileptics, 36-41
 - ultrafast frequencies, 272, 274, 279, 280, 300
- Reticular formation** and, ultrafast frequencies, 263-267
- Ring chromosome 20** and, nonconvulsive status epilepticus, 151-160
- Risperidone** and, schizophrenia, 224
- Rolandic seizures** and, ultrafast activities, 273, 301
- Schizophrenia** and, auditory evoked response, 255
 - auditory sensory gating, 247
 - cannabis abuse, ERP, 251
 - cognitive function and NexAde, 249
 - error processing, 233
 - ERPs database, 88, 92, 96, 222-224
 - eye movements, saccadic, 230
 - gamma activity, 207-209, 224, 250
 - LORETA, diagnosis and therapy, 108-115
 - MRI, 210, 239
 - mismatch negativity, 252
 - neuronal synchronization 207-210
 - P300, 225
 - sleep, high frequency EEG, 25-35
 - startle reaction, 235, 236
 - theory of mind, 229
 - ultrafast activities, 302
 - white matter hyperconnectivity, 250
- Screening EEG** and, databases, 88, 89, 96, 100
 - somatic implications of generalized or focal slowing in psychiatric patients, 171-175
- Seizures** and, absence epilepsy, entropy EEG, 188-193
 - autistic children, adolescents, therapeutic implications, 15-20
 - cortical function and dysfunction, 220-222
 - database, clinical utility, 79, 80, 84
 - dysphonic disorder, 212
 - EP database, long latency, 91-96
 - focal epilepsies, EEG, SSEP, 194-198
 - initial ictal slow shift pattern, 161-170
 - LORETA database, 118, 120
 - myoclonus postanoxic, stimulus sensitive, 199-201
 - ring chromosome 20, nonconvulsive status epilepticus, 151-160
 - sleep behavior, melatonin, 248
 - sleep structure, 36-41
 - slowing, psychiatric patients, 171-176
 - topiramate, Lyapunov exponent, 202-206
 - ultrafast activities, 250-260, 263-269, 273, 281, 301, 306, 308, 314
- Semantic processing** and, ERP, age differences in verbal recognition memory, 176-187
- Sensitivity and specificity** and, QEEG in neurobehavioral populations, 82-87
- Serotonin** and AEP, 216-217

- Significance probability mapping** and, long latency EP database, 88-98
- Single Photon Emission Computed Tomography (SPECT)** and, Alzheimer's disease, 132
- Sleep** and, Alzheimer's disease, REM, 133
- entropy, EEG stages, 21-24, 192
 - epileptic children, melatonin, 248
 - epileptics, structure EEG, 36-41
 - new physiological approaches, sleep disorders, 211-212
 - schizophrenia and depression, high frequency activity, 25-35
 - seizures, EP database and EEG, 92
 - ultrafast activities, 260, 271-274, 279, 280, 295, 298-300, 311-314
- Slow activity** and, Alzheimer's disease, 133, 142, 146-148
- autism and seizures, 15-20
 - EEG phenotypes, clinical database, 102-103
 - EP database, seizures, 92
 - glutamate concentration, 218
 - initial ictal slow shift pattern, 161-170
 - LORETA, psychiatric disorders, 108-115
 - LORETA, statistics, 4-7, 120
 - panic disorder, EEG coherence, 42-48
 - QEEG, clinical utility statistics, 82-87
 - somatic implications psychiatric disorders, 171-175
 - standardized database, 71, 73
 - ultraslow and full-band EEG, 260, 265, 271, 281, 311-317
- Somatosensory evoked potentials (SSEP)** and, children with focal idiopathic epilepsy, 194-198
- ultrafast activities, 261, 278-284, 285-292, 293-305
 - See also EP
- Spikes, spike and wave activity** and, absence seizures, database, 79, 80
- autism and seizures, 15-20
 - EEG phenotypes database, 104-105
 - EP long latency, database, 91, 92
 - initial ictal slow shift pattern, 161-170
 - LORETA, database, 129
 - myoclonus postanoxic, stimulus sensitive, 199-201
 - psychiatric disorders, LORETA, 108-115
 - ring chromosome 20, nonconvulsive status epilepticus, 151-160
 - SSEP evoked spikes, focal epilepsy, 194-198
 - topiramate administration, seizures, 203, 204
 - ultrafast activities, 258-260, 263-270, 273, 278-284, 285-292, 293-305, 314
- Startle reaction** and, EEG in psychiatric disorders, 234-238
- Stroke** and, frontal lobe, LORETA, 120, 121
- EP database, 96
- Structure from motion perception** and, Alzheimer's disease, 141-147
- Surrogate data analysis** and, approximate entropy EEG in healthy subjects and absence epilepsy patients, 188-193
- System complexity** and, approximate entropy in EEG, 21-24
- Temporal lobe** and, Alzheimer's disease, 142, 143, 147
- autism with seizures, 17, 18
 - benign focal epilepsy, SSEP evoked spikes, 194-198
 - EEG phenotypes, clinical database development, 104
 - initial ictal slow shift pattern, 161-170
 - panic disorder, 42-48
 - psychiatric disorders, LORETA, 108-115
 - ring chromosome 20, nonconvulsive status epilepticus, 151-157
 - seizures, EP database, 92
 - seizures, LORETA, 118, 120
 - ultrafast activities, 258-260, 271-272, 306, 308
- Thalamus** and, ultrafast activities, 258, 259, 263-267, 271-275, 278-280, 285-292, 294-300
- Thematic portals** and, internet databases, new signal processing methods, 123-130
- Theta activity** and, age effects, normative subjects, database, 71, 73
- Alzheimer's disease, 133, 142, 146, 147
 - glutamate concentration, 218
 - LORETA, statistics, 4-7
 - panic disorder, EEG coherence, 42-48
 - psychiatric disorders, 108-115
 - QEEG database 99-107
 - QEEG, psychiatric disorders, 82-87
 - See also Slow activity
- Three/sec spike-and-wave** and, absence seizures, initial ictal slow shift, 161-170
- See also Absence seizures, Spikes, Spike-and-wave activity
- Tibial nerve** and, SSEP in children with benign focal epilepsy, 194-198
- Time frequency analysis** and, Alzheimer's disease, 131, 133, 134
- Topiramate** and, Lyapunov exponent EEG, 202-206
- nonconvulsive status epilepticus, ring chromosome 20, 155
- Transcranial magnetic stimulation** and, epilepsy, 220-221
- ultrafast activities, 260, 281
- Trauma** and, long latency EP database, 92-96
- QEEG, 85
 - stress disorder, 236
- Trigeminal pathway** and, high frequency signals, 285, 286
- Tryptophan** and, loudness dependence, 238
- serotonergic functions, 217
- Ultrafast frequencies and full-band EEG** and, special issue, 257-317
- Vagal nerve stimulation** and, nonconvulsive status epilepticus, ring chromosome 20, 158
- Valproic acid** and, aggression, EP, 49-51
- seizures, Lyapunov exponent, 204

VARETA and, LORETA, normative databases, 116, 121
—premenstrual symptoms, 232-233

Video EEG telemetry and, nonconvulsive status epilepticus, ring chromosome 20, electroclinical correlation, 151-160

Visual evoked response (VER) and, long latency database for clinical applications, 88-98
—valproate treatment of aggression, 49-51
—See also Ultrafast frequencies

Wavelet analysis and, Alzheimer's disease, 131, 134

White matter and, schizophrenia, diffusion tensor imaging, 250

World wide web and, Australian EEG database, 76-81
—discovery and integrative neuroscience, sites, 56, 58
—internet databases for new signal processing methods, 123-130

Z-scores and, long latency ERP database, 88-98
—LORETA, normative EEG database, 116-122
—normative database, QEEG clinical utility, 82-87
—parametric and non-parametric statistics, LORETA, 1-8

